



**SOMA ASSOALHO**  
(scarf joint panel)

Plywood for Cargo  
transport industry.

#### Main applications

Indicated for flooring and  
covering for Transport Industry  
and walls, lining, wooden  
floors and mezzanine floor.



**THIS PANEL IS A PLYWOOD (PHENOLIC GLUE WBP), PRODUCED  
WITH NATURAL RESOURCES RENEWABLE (VENEERS OBTAINED BY A  
SUSTAINABLE SOURCE OF REFORESTATION AND/OR FOREST MANAGEMENT).  
IT CAN BE PRODUCE IN QUALITIES B/B B/C C+/C+ C+/C.**

#### STANDARD MEASURES

FACES	CORE
Coming from planted forests or forest management.	Coming from planted forests.

ANY MEASURE UP TO	
Lenght (mm)	Width(mm)
9000	2500

\*check availability.

\*\*as per clients necessity.

THICKNESS	THICK. VARIATION	SET-SQUARE	DIMENSIONAL
12mm - 7L	+ - 0,8mm	+ - 2,0mm	+ - 2,0mm
14mm - 7L	+ - 1,0mm	+ - 2,0mm	+ - 2,0mm
18mm - 7L	+ - 1,0mm	+ - 2,0mm	+ - 2,0mm
20mm - 9L	+ - 1,0mm	+ - 2,0mm	+ - 2,0mm
22mm - 11L	+ - 1,0mm	+ - 2,0mm	+ - 2,0mm
24mm - 13L	+ - 1,0mm	+ - 2,0mm	+ - 2,0mm

\*Other thicknesses on request.

## BORDER

Sealed with ink to avoid/delay humidity absorption.

## GLUING

The veneers are glued with a phenolic resin adhesive WBP, 100% water proof.

SURFACE FINISH	COATING	QUALITIES
Sanded or calibrated.	Not available for this product.	B/B B/C C+/C C+/C+

## MACHINING AND MECHANIZATION

Possible (on request) to make holes, cutouts, bevels, roundness on the tops, lowering borders, union tongue and groove, union with bevel, etc.

## ADVANTAGES & BENEFITS



**INDICATED TO TRANSPORT PRODUCTS  
WITH WEIGHT WELL DISTRIBUTED  
AS: GRAINS, FLOURS, PRODUCTS WRAPPED  
IN BOXES, BIG PALLETS, ETC.**



**REDUCTION ON  
BODY'S TARE**



**INFLEXIBILITY ON SET BODY  
AND WOODEN FLOOR**



**PERFECT SEALING  
ON CARGO BOX**



## GUARANTEES

The Somapar plywood panel is guaranteed for six months against production defects, as long as the instructions for use are followed.

## TRACEABILITY

Through production lot number and or fabrication date is possible to trace all productive process and inputs and raw material origin that compose the product.

## PACKAGING, TRANSPORT AND WAREHOUSING

Spare parts or in pallets loaded in palletized way and belted with polyester tapes.

\*The Somapar reserves the right to modify specification.



## CONTACT US

[www.somapar.com.br](http://www.somapar.com.br)

Rod. BR 476 Km 363,40 nº 1238 – Bairro São Joaquim  
União da Vitória-PR, Brasil | CEP 84.605-250

[contato@somapar.com.br](mailto:contato@somapar.com.br)

+55 (42) 3521-2900 | +55 (42) 9 9990-0206

[/SOMAPAR](#)

[somapar\\_mad](#)

